


## **SPECIFICATION SHEETS**


# LASER CUT SCREEN DESIGNS









≈ 12% Visibilty Neo



Istanbul ≈ 55% Visibilty



Equinox ≈ 47% Visibilty



**Droplets** ≈ 12% Visibilty



Mangrove ≈ 18% Visibilty

#### LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified

Sliding gates have a 50m design border with 100mm on the bottome to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

#### **LASER SCREEN MATERIAL OPTIONS**

#### Powder Coated Aluminium

3mm thick 6063 T6 Aluminium Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

#### Weathering Steel (Corten)

3mm thick high strength Weathering Steel Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm



**CUSTOM DESIGNS ARE** AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

#### TITLE: LASER CUT SCREEN DESIGNS


CONTACT: sales@oxworks.com.au



Copenhagen ≈ 45% Vis




Tudor ≈ 14% Vis



Cubism ≈ 45% Vis



Tulip ≈ 13% Vis



Daisy ≈ 14% Vis



Sea Fan ≈ 30% Vis



Leaf Vein

≈ 56% Vis



Canopy

#### LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified

Sliding gates have a 50m design border with 100mm on the bottome to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

#### **LASER SCREEN MATERIAL OPTIONS**

#### Powder Coated Aluminium

3mm thick 6063 T6 Aluminium Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

#### Weathering Steel (Corten)

3mm thick high strength Weathering Steel Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm



**CUSTOM DESIGNS ARE** AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

#### TITLE: LASER CUT SCREEN DESIGNS

CONTACT: sales@oxworks.com.au






Gum Leaf ≈ 36% Vis

Leaf



Bamboo ≈ 21% Vis




Bali ≈ 44% Vis



≈ 31% Vis




Scroll ≈ 30% Vis



Marrakesh ≈ 48% Vis



Rings



Stone

### ≈ 48% Vis

#### LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified

Sliding gates have a 50m design border with 100mm on the bottome to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

#### **LASER SCREEN MATERIAL OPTIONS**

#### Powder Coated Aluminium

3mm thick 6063 T6 Aluminium Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

#### Weathering Steel (Corten)

3mm thick high strength Weathering Steel Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm



**CUSTOM DESIGNS ARE** AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.


#### TITLE: LASER CUT SCREEN DESIGNS

CONTACT: sales@oxworks.com.au







Ripple ≈ 34% Vis



Chainmail ≈ 42% Vis




Link ≈ 52% Vis



Quiver ≈ 62% Vis



Tahiti ≈ 24% Vis



Birch ≈ 19% Vis



Woodgrain



Herringbone ≈ 13% Vis

#### LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified

Sliding gates have a 50m design border with 100mm on the bottome to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

#### LASER SCREEN MATERIAL OPTIONS

#### Powder Coated Aluminium

3mm thick 6063 T6 Aluminium Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

#### Weathering Steel (Corten)

3mm thick high strength Weathering Steel Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm




**CUSTOM DESIGNS ARE** AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.


#### TITLE: LASER CUT SCREEN DESIGNS

CONTACT: sales@oxworks.com.au







Web ≈ 37% Vis




Honeycomb ≈ 55% Vis




Gatsby ≈ 17% Vis



Brick Work ≈ 54% Vis



Dragonfly



Algebra ≈ 34% Vis



40mm Screen Border on All Edges unless otherwise specified

Sliding gates have a 50m design border with 100mm on the bottome to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

#### **LASER SCREEN MATERIAL OPTIONS**

#### Powder Coated Aluminium

3mm thick 6063 T6 Aluminium Are available in the Interpon Powder Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

#### Weathering Steel (Corten)

3mm thick high strength Weathering Steel Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm



**CUSTOM DESIGNS ARE** AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

TITLE: LASER CUT SCREEN DESIGNS

CONTACT: sales@oxworks.com.au

oxworks.com.au 1300 336 237





Happiness ≈ 44% Vis



Fleuron

≈ 29% Vis

#### LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified

Sliding gates have a 50m design border with 100mm on the bottome to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

#### LASER SCREEN MATERIAL OPTIONS

#### Powder Coated Aluminium

3mm thick 6063 T6 Aluminium Are available in the Interpon Powder

Coating Colour Range

MAX SCREEN SIZE: 3000 x 1500mm

#### Weathering Steel (Corten)

3mm thick high strength Weathering Steel Forms a stable, attractive rust-like appearance

MAX SCREEN SIZE: 2400 x 1200mm




**CUSTOM DESIGNS ARE** AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

#### TITLE: LASER CUT SCREEN DESIGNS

CONTACT: sales@oxworks.com.au









Fauna ≈ 28% Vis



Savannah



Merino

≈ 41% Vis

